



芝生用更新作業機 マレードフレックスバーチカッターMT200

パーツリスト

MT200-REV1350120-01/2024-0926 Ver.1.00




販売店名：

総輸入元：東洋グリーン株式会社

<http://www.toyo-green.com>

Part Number	1350120-01	Description	Mframe 319 Only without MT200 heads
Material		Surface Finish	
Drawn	M.Reincke	Rev	25 Nov'14
Item	A0	Scale	1:1
Project		Revision	
		 Mareco BV Highwayway 16 NL 3906 CR Lisse +31 342 556 426 M.Reincke@mareco-bv.nl COPYRIGHT by Mareco BV 1998-2014	



※注意事項

- すべてのボルト/ナットはしっかりと締めてください。
- メインギアボックスのオイルを確認及び充填します。
- ラバーブロック（図番52及び21）は左右対称に取り付けます。

①中央パーツページ

図番	数量	パーツNo.	品名	改訂	備考
1	0		NOT IN USE ANYMORE		
2	8	4321200-11	PTO BYPY 7G1N051 CE 007007M Female with cone MT side head		
3	0		NOT IN USE ANYMORE HERE		
4	2	6030191-00	U shell for rubber flex point at front side MFrame		
5	2	6030203-01	Topplate main frame on the side arm 1440	= part of the welded chassis 7455102	
6	1	6030210-00	Plate for A frame ASSY 80 x 54 x 6 mm	= part of welded A frame 7455100	
7	4	6470050-00	Draw bar shaft for MT head		
8	2	6030104-01	Main side strip for Aframe of MFrame	= part of welded A frame 7455100	
9	11	3901330	R pin d=3		
10	1	6030136-01	Front plate for main chassis MFrame 1443	= part of welded main chassis 7455102	
11	10	3608201	Bolt M 8 x 20 DIN 933		
12	4	3510012	Low height nut M10		
13	2	6030196-00	U shell for rubber flex point at rear side MFrame		
15	34	3510004	Self lock nut M 10 D985		
16	9	3010151	Spring washer M10 6798A		
17	0		NOT IN USE HERE (= # 82 NOW)		
18	2	6030134-01	Side plate of main chassis MFrame 1443	= Part of welded main chassis 7455102	
19	1	6030122-01	Distance plate behind Rostablock 1443		
20	2	3610251	Bolt M 10 x 25 DIN 933		
21	4	6030199-00	Rubber rod for the rubber flex point rear side MFrame	Supplier MAREDO (initially)	
22	1	6030150-01	Main plate for rear MT head drawbar		
23	2	2000207	Needle bearing bush IR 202420	Supplier MAREDO (initially)	
24	1	6470044-00	Secure pin to lock the A frame		
25	2	6030140-01	Connecting bracket plate MT head to MFrame 1440		
26	0		NOT IN USE HERE (= # 52 NOW)		
27	2	3612401	Bolt M 12 x 40 DIN 933		
28	2	6003030-01	Washer 14-30-3		
29	1	6030197-00	Square shaft for rear rubber pivot point at MFrame		
30	1	6030148-01	Cross strip for triangel drawbar 1440	= part of welded assy 7455110	
31	6	3608251	Bolt M 8 x 25 4017 S		
32	2	6470036-00	Main inner pivot bush MT head to MFrame		
33	2	4320002	Extended cone BYPY PTO D170 d83	Supplier MAREDO	
34	2	6030106-00	Strip aside Rosta block at Aframe	= part of the welded assy 7455100	
35	1	6030205-00	PTO protection cover for MFrame		

①中央パーツページ					
図番	数量	パーツNo.	品名	改訂	備考
36	2	3901396	Linch secure pin 10 mm	Supplier MAREDO (initially)	
37	3	6030207-00	Sheet metal Stand for MFrame		
38	2	6030198-00	Aluminium mount bar for rear flex point MFrame		
39	1	6030112-01	opstrip Aframe for toplink 1445	= part of welded assy 7455100	
40	2	3614940	Bolt M 14 x 120 DIN 931		
41	4	3010200	Washer M10 DIN 125A		
42	2	3671400	Hose clamp D80-100 B=10 standard	Supplier MAREDO (initially)	
43	2	6030194-00	Aluminium mount bar for front flex point		
44	2	4512202	Compression spring Drawrod MT200 D22710	Supplier MAREDO (initially)	
45	1	6030108-01	Safety plate on top of toplink plate Aframe 1440		
46	2	3961468	Bottom 3P pin CAT 1 Z422112KR	Supplier MAREDO (initially)	
47	9	6470048-00	Stud for sheet metal stand MFrame		
48	4	3510000	Nut M 10 DIN 934		
49	9	3610161	Bolt M 10 x 16 DIN 933		
50	4	3608121	Bolt M 8 x 12 4017 S		
51	4	6470052-00	Draw bar guide bush for MT200		
52	3	6030193-00	Rubber rod for the rubber flex point front side MFrame	Supplier MAREDO (initially)	
53	4	3610950	Bolt M 10 x 150 DIN 931		
54	0	4565202	Rubber blok D50 x H20 M 10x15 type A	NOTE: These are mounted on the heads	
55	1	3961338	Top link pin 19x 76 Z319074	Supplier MAREDO (initially)	
56	1	9653001-01	Maredo Logo oval 170x 80 mm decal	Supplier MAREDO	
57	1	6030124-01	Top cover gearbox MFrame 1443		
58	6	3610401	Bolt M 10 x 40 DIN 933		
59	2	3660600	Grease nipple M6 straight		
60	1	6030116-01	Top plate for Rosta at Aframe 1443	= part of welded A frame 7455100	
61	2	3514004	Self lock nut M 14 D985		
62	7	3610910	Bolt M 10 x 110 DIN 931		
63	1	6030146-01	U joint bracket for rear head triangle 1440	= Part of welded assy 7455110	
64	8	3612201	Bolt M 12 x 20 DIN 933		
65	1	6030192-00	Square shaft for front rubber pivot point at MFrame		
66	1	6030132-01	Bottom plate for main chassis MFrame 1440	= Part of welded main chassis 7455102	
67	1	6030110-01	Reinforcement plate for inside A-frame 1440	= Part of welded assy 7455100	
68	2	6470042-01	A Frame topplate bush d12 D18 L20 1440	= Part of welded assy 7455100	
69	0		NOT IN USE HERE		
70	2	6470038-00	Notch for limited travel of MThead		


①中央パーツページ					
図番	数量	パーツNo.	品名	改訂	備考
71	1	4313000	BYPY 2030 gearbox with 4 shafts MFrame	Supplier MAREDO	
72	4	3008160	Washer M8 DIN 125A		
73	2	6470053-00	Low height nut M27 x 1.5 D36 self made		
74	4	6470049-00	Draw bar housing for MT head		
75	2	6030130-01	Pivot point strip for MFrame 1443	= Part of welded chassis 7455102	
76	2	6470034-01	Main pivot bush MFrame for MThead 1445		
77	2	3512004	Self lock nut M 12 D985		
78	0		NOT IN USE HERE (= # 21)		
79	0		NOT IN USE ANYMORE		
80	1	3901350	R pin 5 mm DIN 11024		
81	1	6030114-01	Toplink plate for MFrame 1440		
82	8	2401101	GIKR 10 PW M 10 swivel point KR ball	Supplier MAREDO (initially)	
83	2	3917402-02	Chain d4 32x 8 4 shackles	Supplier MAREDO (initially)	
84	1	9653010	CE Decall standard	Supplier MAREDO	
85	12	3008121	Springwasher M8 6798 A		
86	1	6030145-00	Mount bracket on the gearbox for the top cover		
87	4	3915330	D shackle 7,5 mm		
88	2	4321110	PTO BYPY 7G1N051 CE 007007M with cone for MT side head		
89	1	4321100	PTO BYPY 7G1N021 CE 007007M with cone for rear MT head		
90	1	4321210	PTO BYPY 7G2N056CE007007 MT tractor side		

②右側ユニット用パーツページ(2016年01月版)

1350201-030 MT200

組み立てに関する特別な注意事項:

1. ボルト(図番70)は200 Nmで締め、中強度ロックタイトを使用します。
2. 深さ調整用のナット(図番13)は完全に締めないでください。
(常にフリーで動き、遊びのある状態となります。)
3. 組立前に深さ調整シャフト(図番26及び図番32)にグリスを塗布します。
4. メインナット(図番76)を1100 Nmで締め、中強度ロックタイトを使用します。
5. メインチェーン(図番77)は5~8mmの遊びが出るように締め込みます。
6. チェーン(図番77)はメンテナンスフリーです。グリスを塗らないでください。
7. テーパーロック(図番79及び図番67)のロックネジを20Nmで均等に締めます。



②右側ユニット用パーツページ(2016年01月版)

1350201-030 MT200

図番	数量	パーツNo.	品名	改訂	備考
1	1	3012151	Spring washer M12		
2	2	6470026-01	Depth securing rod M8 1443		
3	9	3833502	Plastic cup d10,5		
4	1	6427630-04	Main shaft Hex 27 for MT		
5	2	6470030-00	End bush rear wheel MT		
6	2	3903416	Roll pin 4 x 16		
7	4	3506000	Nut M6		
8	5	3608201	Bolt M8 x 20		
9	2	3510012	Low height nut M10		
10	2	6030186-00	Wheel d=125 scraper MT		
11	1	6030214-00	Distance plate D90 d60 s8		
13	18	3510004	Self lock nut M10		
14	1	6470008-03	Input PTO shaft for side MT		
16	2	3612900	Bolt M12 x 90		
17	1	3010151	Spring washer M10		
18	2	6506062-02	Stud M6 x 60 MT cover		
20	2	2425309	Bearing housing		
21	1	7030013-00	Distance bush Hex 22 L12.7		
22	1	4053273	Sprocket Tlock 2012 ½"x27		
23	2	6470024-00	M10 stud for roller MT		
24	1	7455104-02	Main chassis MThead		
25	3	3608350	Bolt M8 x 35		
26	2	6470010-00	Depth control spindle M14		
27	2	4215010	Rubber wheel 125 x 50 d=20		
28	14	7038040-00	Distance bush L 39		
29	2	3911425	Key 8 x 25		
30	1	6030160-03	Base plate for side drive MT		
31	2	6030172-01	Side weight for MT head		
32	2	6470028-04	Depth control spindle nut MT		
33	2	7455106-01	Welded Front roller frame MT		
34	3	3610551	Bolt M10 x 55		
35	1	2425300	Bearing		
36	6	6030209-01	Distance washer		
37	1	6470018-00	Front roller tube MT		
38	1	4034061	Duplex connecting link		
40	1	3833902	Plastic cup d 38		

②右側ユニット用パーツページ(2016年01月版)

図番	数量	パーツNo.	品名	改訂	備考
41	1	7038009-00	Distance bush L09		
42	1	9653020	Safety decall standard		
43	1	6470006-02	Bearing house MT		
44	5	3010200	Washer M10 DIN		
45	4	6030208-01	Seal washer for wheel MT		
46	1	6470020-00	Front roller shaft MT		
47	1	7038029-01	Distance bush L=29.1		
48	7	3833402	Plastic cup d8,5		
50	2	3905200	Cir clip d=20		
52	1	6030158-02	Top cover main drive at MT		
53	1	6030164-02	Rear exhaust cover MT200		
54	1	3510000	Nut M10		
55	1	3610161	Bolt M10 x 16		
56	2	6030166-01	Grip knob for depth control MT		
57	6	6470060-00	Distance. bush depth spindle		
59	2	3606801	Bolt M6x 80		
60	1	4053173	Sprocket Tlock 1210 ½"x17 duplex		
61	1	2425302	Bearing		
62	1	3610401	Bolt M10 x 40		
63	2	3660600	Grease nipple M6 straight		
64	5	4563502	Rubber block D50 x H20 M10x18		
65	2	6470012-00	Depth spindle hex 32 support		
66	2	6030211-00	Stainless steel seal washer		
67	1	4086825	Taper lock 2012-25		
68	4	3608161	Bolt M8 x 16		
69	2	6470040-00	Nut M6 for rear scraper		
70	1	3612201	Bolt M12 x 20		
71	2	3010100	Shim washer D16 x d10 x s1 D988		
72	15	1838220-01	Carbide tipped disk for MT200		
73	2	9653024-00	Depth indicator decall MT		
75	14	3508004	Self lock nut M8		
76	1	6470053-00	Low height nut M27 x 1.5		
77	1	4034302	Duplex main chain		
79	1	4084825	Taperlock bush 1210-25		
81	8	3606161	Bolt M6x 16		
82	2	3512004	Self lock nut M12		
83	2	6470032-01	Pivot bush roller frame MT		
84	1	3610606	Set screw M10 x 60		

②右側ユニット用パーツページ(2016年01月版)


図番	数量	パーツNo.	品名	改訂	備考
85	2	3508002	Knurled thumb nut M8 plated		
86	2	3610704	Mushroom head bolt M10 x 70		
87	2	2025151	Bearing		
88	2	2015111	Bearing		
89	2	3912500	Cir clip d=25		
90	1	6003045-01	Washer INA bearing		
91	1	6004030-00	Washer MT main shaft		
92	2	6470022-00	Front roller end plates MT		
93	1	9653010	CE Decall standard		
94	1	9653002-01	New Maredo Logo large oval		
95	1	6001049-02	Seal plate 205 bearing		
96	14	3506004	Self made nut M6		
97	4	6030180-01	Angled plate for depth adj.		

③左側ユニット用パーツページ(2016年01月版)

1350202-030 MT200

組み立てに関する特別な注意事項:

1. ボルト(図番71)は200 Nmで締め、中強度ロックタイトを使用します。
2. 深さ調整用のナット(図番14)は完全に締めないでください。
(常にフリーで動き、遊びのある状態となります。)
3. 組立前に深さ調整シャフト(図番27及び図番34)にグリスを塗布します。
4. メインナット(図番77)を1100 Nmで締め、中強度ロックタイトを使用します。
5. メインチェーン(図番78)は5~8mmの遊びが出るように締め込みます。
6. チェーン(図番78)はメンテナンスフリーです。グリスを塗らないでください。
7. テーパーロック(図番68及び図番81)のロックネジを20Nmで均等に締めます。



③左側ユニット用パーツページ(2016年01月版)

1350202-030 MT200

図番	数量	パーツNo.	品名	改訂	備考
1	1	3012151	Spring washer M12		
2	2	6470026-01	Depth securing rod M8		
3	9	3833502	Plastic cup d10,5		
4	1	6427630-04	Main shaft Hex 27 for MT		
5	2	6470030-00	End bush rear wheel MT		
6	2	3903416	Roll pin 4 x 16		
7	1	7038029-00	Distance bush L=29.1		
8	4	3506000	Nut M6		
9	5	3608201	Bolt M8 x 20		
10	2	6030186-01	Scraper rear wheel		
11	2	3510012	Low height nut M10		
12	1	6030214-00	Distance plate D90		
14	19	3510004	Self lock nut M10		
15	1	6470008-03	Input shaft for MT		
16	2	3612900	Bolt M12 x 90		
18	1	3010151	Spring washer M10		
20	2	6506062-02	Stud M6 x 60 MT		
21	2	2425309	Bearing housing		
22	1	7030013-00	Distance bush L12.7		
23	1	4053273	Sprocket wheel 2012 ½"x27 t		
24	2	6470024-00	M10 stud for front roller MT		
26	3	3608350	Bolt M8 x 35		
27	2	6470010-00	Depth control spindle M14		
28	2	4215010	Rubber wheel 125 x 50 d=20		
29	14	7038040-00	Distance bush test Hex 27		
30	2	3911425	Key 8 x 25		
31	1	6030160-03	Base plate main drive MT		
32	1	3012300	Large washer M12		
33	2	6030172-01	Side weight for MT head		
34	2	6470028-04	Depth control spindle nut MT		
35	3	3610551	Bolt M10 x 55		
37	1	2425300	Bearing		
38	6	6030209-01	Distance washer d25x D31		
39	1	6470018-00	Front roller tube MT head		
42	1	7038009-00	Distance bush L09 MT200		

③左側ユニット用パーツページ

図番	数量	パーツNo.	品名	改訂	備考
43	1	3833902	Plastic cup d 38		
44	1	9653020	Safety decall standard		
45	1	6470006-02	Bearing house input shaft MT		
46	6	3010200	Washer M10		
47	4	6030208-01	Seal washer for wheel MT		
48	1	6470020-00	Front roller shaft MT head		
49	7	3833402	Plastic cup d8,5		
50	2	3905200	Cir clip d=20		
53	1	6030158-02	Top cover main drive at MT		
54	1	6030164-02	Rear exhaust cover MT200		
55	1	3510000	Nut M10		
56	1	3610161	Bolt M10 x 16		
57	2	6030166-01	Grip knob for depth control MT		
58	6	6470060-00	MT Distance bush depth spindle		
59	2	7455104-02	Main chassis for MT200 head		
60	2	3606801	Bolt M6x 80		
61	1	4053173	Sprocket wheel 1210 ½" x17		
62	1	2425302	Bearing		
63	1	3610401	Bolt M10 x 40		
64	2	3660600	Grease nipple M6 straight		
65	2	6470012-00	Depth spindle hex 32 sup for MT		
66	5	4563502	Half Rubber block D50 x H20 M10		
67	2	6030211-00	Stainless steel seal washer		
68	1	4086825	Taper lock bush 2012-25 mm		
69	4	3608161	Bolt M8 x 16		
70	2	6470040-00	Nut M6 x L=12 for wheel scraper		
71	1	3612201	Bolt M12 x 20		
72	2	3010100	Shim washer D16 x d10 x s1 D988		
73	15	1838220-01	Carbide tipped disk for MT200		
74	2	9653024-00	Depth indicator decall MT 200		
75	4	6030180-01	Angled plate for adjuster MT		
76	16	3508004	Self lock nut M8		
77	1	6470053-00	Low height nut M27 x 1.5		
78	29	4034302	Duplex main chain incl 4034061 link		

③左側ユニット用パーツページ


図番	数量	パーツNo.	品名	改訂	備考
80	1	7455106-01	Welded front roller sup. frame		
81	1	4084825	Taperlock bush 1210-25 mm		
82	8	3606161	Bolt M6x 16		
83	2	3512004	Self lock nut M12		
85	1	3610606	Set screw M10 x 60		
86	2	6470032-01	Pivot bush roller frame MT		
87	2	3508002	Knurled thumb nut M8 plated		
88	2	3610704	Mushroom head bolt M10 x 70		
89	2	2025151	Bearing		
90	2	2015111	Bearing		
91	2	3912500	Cir clip d=25		
92	1	6003045-01	Washer INA bearing		
93	2	6470022-00	Front roller tube end plates MT		
94	1	9653010	CE Decall standard		
95	1	9653002-01	New Maredo Logo large oval		
96	14	3506004	Self lock nut		
97	1	6001049-02	Seal plate 205 bearing		

④後部ユニット用パーツページ 2016年01月版

1350202-030 MT200

組み立てに関する特別な注意事項:

1. ボルト(図番82)を 200 Nm で締め、中強度のロックタイトを使用します。
2. 深さ調整用のナット(図番13)は完全に締めないでください。
(常にフリーで動き、遊びのある状態となります。)
3. 組立前に深さ調整シャフト(図番31及び図番40) にグリスを塗布します。
4. メインナット(図番91)を1100 Nm で締め、中強度ロックタイトを使用します。
5. メインチェーン(図番96)は5~8mmの遊びが出るように締め込みます。
6. チェーン(図番96)はメンテナンスフリーです。グリスを塗らないでください。
7. テーパーロック(図番79及び図番95)のロックネジを20Nmで均等に締めます。



④後部ユニット用パーツページ 1350202-030 MT200 2016年01月版

図番	数量	パーツNo.	品名	改訂	備考
1	1	3012151	Spring washer M12		
2	2	6470026-01	Depth securing rod		
3	5	3833502	Plastic cup d10,5		
4	1	6427630-04	Main shaft for MT200		
5	2	6470030-00	End bush rear wheel MT		
6	2	3903416	Roll pin 4 x 16		
7	4	3506000	Nut M6		
8	1	3608163	Hex socket screw		
9	2	6030186-01	Scraper rear wheel		
10	5	3608201	Bolt M8 x 20		
11	2	3510012	Low height nut M10		
12	2	3911420	Key 8 x 20		
13	1	6030214-00	Distance plate D90 d60 s8		
14	1	4034000	Connecting link for ½" duplex		
15	1	6030162-01	Gearbox support plate MT		
17	24	3510004	Self lock nut M10		
18	2	3612900	Bolt M12 x 90		
20	1	3010151	Spring washer M10		
22	2	6506062-02	Stud M6 x 60 MT cover		
23	2	2425309	Bearing housing		
24	1	3610251	Bolt M10 x 25		
25	1	7030013-00	Distance bush L12.7 MT		
27	1	4053273	Sprocket wheel 2012 1_2x27		
28	2	6470024-00	M10 stud for front roller MT		
30	3	3608350	Bolt M8 x 35		
31	2	6470010-00	Depth control spindle M14		
32	1	6470004-03	Input drive shaft rear MT		
33	2	4215010	Rubber wheel		
34	14	7038040-00	Distance bush test L39.8		
35	1	3911425	Key 8 x 25		
36	1	4034030	Duplex ½" chain		
37	1	6030160-03	Base plate main drive MT		
38	1	6030155-00	Bottom prot cover rear head		
39	1	6030172-01	Side weight for MT head		
40	2	6470028-04	Depth control spindle nut MT		

④後部ユニット用パーツページ 1350202-030 MT200 2016年01月版

図番	数量	パーツNo.	品名	改訂	備考
41	2	7455106-01	Welded roller frame for MT		
42	1	2425300	Bearing		
43	6	6030209-01	Distance washer		
44	1	6030154-01	Protection PTO cover MT		
45	1	6470018-00	Front roller tube MT head		
46	1	4034061	Duplex conn. link ½" chain		
47	1	4312525	Gearbox for rear head		
49	1	3833902	Plastic cup d 38		
50	1	7038009-00	Distance bush L09 MT		
51	1	9653020	Safety decall standard		
52	1	6470006-02	Bear house input shaft MT		
53	4	6030208-01	Seal washer for wheel MT		
54	8	3010200	Washer M10 DIN		
55	1	7038029-01	Distance bush L=29.1		
56	1	6470020-00	Front roller shaft MT head		
57	1	3671400	Hose clamp		
58	7	3833402	Plastic cup d8,5		
60	2	3905200	Cir clip d=20		
62	1	6030158-02	Top cover main MT drive		
63	1	3610161	Bolt M10 x 16		
64	2	3510000	Nut M10		
65	1	6030164-02	Rear exhaust cover MT		
66	2	6030166-01	Grip knob for depth MT		
67	6	6470060-00	MT Distance bush depth		
68	2	7455104-02	Main chassis for MT200		
69	2	3606801	Bolt M6x 80		
70	1	4053173	Sprocket wheel 1210 1_2x17		
71	1	2425302	Bearing		
73	5	3610401	Bolt M10 x 40		
74	2	3660600	Grease nipple M6 straight		
75	1	3911432	Key 8 x 32		
76	2	6470012-00	Depth spindle support MT		
77	5	4563502	Rubber block D50 x H20		
78	2	6030211-00	Stainl steel seal washer		
79	1	4086825	Taper lock 2012-25		
80	4	3608161	Bolt M8 x 16		

④後部ユニット用パーツページ 1350202-030 MT200 2016年01月版

図番	数量	パーツNo.	品名	改訂	備考
81	2	6470040-00	Nut M6 for wheel scraper		
82	1	3612201	Bolt M12 x 20		
83	4	3512000	Nut M12		
84	2	3010100	Shim washer D16 x d10 x s1		
85	1	6030189-02	Mount ring for PTO cover		
86	15	1838220-01	Carbide tipped disk for MT		
87	2	9653024-00	Depth indicator decall MT		
88	4	6030180-01	Angled support for depth		
89	4	3606166	Self threading bolt M6x16		
90	14	3508004	Self lock nut M8		
91	1	6470053-00	Low height nut M27 x 1.5		
92	29	4034302	Duplex main chain ½"		
95	3	4084825	Taperlock bush 1210-25		
96	10	3606161	Bolt M6x 16		
97	2	3512004	Self lock nut M12		
98	2	6470032-01	Pivot bush roller frame MT		
99	1	3610606	Set screw M10 x 60		
100	2	3508002	Knurled thumb nut M8		
101	2	3610704	Mushroom head bolt M10 x 70		
102	2	2025151	Bearing		
103	2	3912500	Cir clip d=25		
104	2	2015111	Bearing		
105	2	4053181	Sprocket wheel 1210 1_2x18		
106	1	6003045-01	Washer INA bearing		
107	1	6004030-00	Washer MT main shaft		
108	2	6470022-00	Roller tube end plates MT		
109	1	9653010	CE Decall standard		
110	1	9653002-01	New Maredo Logo decal		
111	4	3610930	Bolt M10 x 130		
112	16	3506004	Self lock nut M6		
113	1	6001049-02	Seal plate 205 bearing		